



# CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
Phone : 2282061, 2281074. 3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

**A/C OF FORTUNE HEALTH CARE**  
**QUALITY CONTROL DEPARTMENT**  
**THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER**




Page 1 of 1

## FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : FILITRA -40 <b>Packing</b> : 10x10 TAB <b>Generic Name</b> : VARDENAFIL TABLETS 40 MG	<b>Mfg. Dt.</b> : DEC-2022 <b>Exp. Dt.</b> : NOV-2025 <b>Test Packing</b> : 10X10TAB <b>Mfg. Lic No.</b> : G/3167-A	<b>A.R. No.</b> : F/2002-A/2223 <b>Rel. Dt.</b> : 04-01-2023 <b>T.R. Slip No.</b> : CFPAP22062 <b>T.R. Slip Dt.</b> : 02-01-2023 <b>Analysis Date</b> : 02-01-2023 <b>Specification No.</b> : XRFS/TF-28FORTU/1819 <b>Specification Dt</b> : 11-12-2018 <b>STP No.</b> : STP/TF-28FORTU AS PER IHS <b>Location</b> : GORWA01 <b>Make</b> : FORTUNE
<b>Product Code</b> : TF-28FORTU <b>Batch No.</b> : TF-280008 <b>Actual Batch Size</b> : 20000 TAB	<b>Sample Size</b> : 50.000 TAB <b>Released Qty</b> : 20000.000 TAB (200 CAR)	<b>Test As Per</b> : IH
<b>Remarks</b> : pass		

Sr.	Test	Result	Specification
1	DESCRIPTION	A Yellow Coloured, round shaped, biconvex, film coated Tablet with breakline on one side plain on other side.	A Yellow Coloured, round shaped, biconvex, film coated Tablet with breakline on one side plain on other side.
2	IDENTIFICATION	Complies.	Must Complies as per IHS
3	AVERAGE WEIGHT OF TABLETS	281.5 mg	283.40 mg $\pm$ 3.0% of avg.weight.
4	UNIFORMITY OF WEIGHT	H.L :+2.25% L.L :-2.42%	Within $\pm$ 5% of avg. weight
5	THICKNESS	4.05 mm	4.00 mm $\pm$ 0.2 mm
6	DIAMETER	9.65 mm	9.60 mm $\pm$ 0.2mm
7	DISINTEGRATION TIME	04 minute 46 second in Water Medium at 37°C	NMT 30 Minutes
8	ASSAY BY HPLC	99.15%	Each Film Coated Tablet Contains : Vardenafil Hydrochloride Eq.to Vardenafil 40 mg [Limit : 90.0% TO 110.0%]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  BHAUTIK P PATEL JUNIOR OFFICER	<b>Checked By</b>  ASMETA MANAGER QC	<b>Approved By</b>  CHEXA PATEL QA OFFICER
--	--	--