



CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA„,VADODARA-390016
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA„,VADODARA-390016
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254
Email : cen_lab@rediff.com

QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER


Page 1 of 1

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : SUPER VILITRA TABLETS	A.R. No. : F/0073/2324
Packing : 10x10 TAB	Rel. Dt. : 07-04-2023
Generic Name : VARDENAFIL AND DAPOXETINE TABLETS	T.R. Slip No. : CPT230033
Product Code : TS-41	T.R. Slip Dt. : 07-04-2023
Batch No. : TS-410024	Analysis Date : 07-04-2023
Actual Batch Size : 50000 TAB	Specification No. : CRFS/TS-41/2021
Mfg. Dt. : MAR-2023	Specification Dt. : 06-06-2020
Exp. Dt. : FEB-2026	STP No. : STP/TS-41 /AS PER IHS
Test Packing : 10X10 TAB	Location : GORWA01
Mfg. Lic No. : G/25/1325	Make : CENTURION
Sample Size : 50.000 TAB	
Released Qty : 50000.000 TAB (500 CAR)	
Test As Per : IH	
Remarks : pass	

Sr.	Test	Result	Specification
1	DESCRIPTION	A brown colored, triangle shaped, biconvex, film coated Tablets , plain on both sides.	A brown colored, triangle shaped, biconvex, film coated Tablets , plain on both sides.
2	IDENTIFICATION	Complies	Must complies as per IHS.
1	BY HPLC	The retention time of the major peak of the test solution should correspond to that of the standard solution of vardenafil and dapoxetine,asobtained in the Assay.	The retention time of the major peak of the test solution should correspond to that of the standard solution of vardenafil and dapoxetine,asobtained in the Assay.
3	AVERAGE WEIGHT OF TABLETS	550.22 mg	556.21 mg $\pm$ 5.0 % of avg. weight
4	UNIFORMITY OF WEIGHT	H.L: +1.76 % L.L: -1.40 %	Within $\pm$ 5.0 % of avg. weight
5	THICKNESS	5.17 mm	5.10 mm $\pm$ 0.4 mm
6	DISINTEGRATION TIME	06 Min. 25 Sec. in Water Medium at 37°C	NMT 30 Min.
7	ASSAY BY HPLC	(1) 98.28 % (2) 98.09 %	Each Film Coated Tablet Contains: 1) Vardenafil 20 mg [Limit : 90.0 % to 110.0 %] 2) Dapoxetine Hcl Eq. to Dapoxetine 60 mg [Limit : 90.0 % to 110.0 %]

Conclusion : The above sample complies as per IH
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By  BHAUTIK P PATEL JUNIOR OFFICER	Checked By  ASMITA MANAGER QC	Approved By  CHEXA PATEL QA OFFICER
--	--	--