



# CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA,,VADODARA-390016  
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE „GORWA,,VADODARA-390016  
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

## QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER

Page 1 of 1



### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : VILITRA 20 TABLETS	<b>A.R. No.</b> : F/0061/2324
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 08-04-2023
<b>Generic Name</b> : VARDENAFIL TABLETS 20MG	<b>T.R. Slip No.</b> : CPT230021
<b>Product Code</b> : TV-39	<b>T.R. Slip Dt.</b> : 06-04-2023
<b>Batch No.</b> : TV-390042	<b>Analysis Date</b> : 07-04-2023
<b>Actual Batch Size</b> : 300000 TAB	<b>Specification No.</b> : CRFS/TV-39/1819
<b>Sample Size</b> : 50.000 TAB	<b>Specification Dt.</b> : 20-11-2018
<b>Released Qty</b> : 300000.000 TAB (3000 CAR)	<b>STP No.</b> : STP/TV-39/AS PER IH
<b>Remarks</b> : pass	<b>Location</b> : GORWA01
	<b>Make</b> : CENTURION

**Mfg. Dt.** : MAR-2023  
**Exp. Dt.** : FEB-2026  
**Test Packing** : 10X10 TAB  
**Mfg. Lic No.** : G/25/1325  
**Test As Per** : IH

Sr.	Test	Result	Specification
1	DESCRIPTION	A Yellow colored, round shaped,biconvex, film coated tablet, engraved with " 20 " on one side and plain on other side.	A Yellow colored, round shaped,biconvex, film coated tablet, engraved with " 20 " on one side and plain on other side.
2	IDENTIFICATION BY HPLC	In the Assay,the principal peak in the chromatogram obtained with the test solution is correspond to the peak in the chromatogram obtained with the reference solution.	In the Assay,the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference solution.
3	AVERAGE WEIGHT OF TABLETS	107.0 mg	108.15 mg $\pm$ 7.5% of avg. weight
4	UNIFORMITY OF WEIGHT	H.L= +2.65% L.L= -2.13%	Within $\pm$ 7.5% of the avg.weight
5	DIAMETER	6.41 mm	6.40 mm $\pm$ 0.2mm
6	THICKNESS	3.23 mm	3.20 mm $\pm$ 0.2 mm
7	DISINTEGRATION TIME	06 Minutes 35 second in : Water Medium at 37°C	NMT 30 Minutes
8	ASSAY BY HPLC	96.32%	Each Film Coated Tablet contains : Vardenafil Hydrochloride Eq.to Vardenafil 20 mg [ LIMIT : 90.0% to 110.0% ]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  YASH SHARMA QC OFFICER	<b>Checked By</b>  ASMITA MANAGER QC	<b>Approved By</b>  CHEXA PATEL QA OFFICER
--	--	---